# Material Safety Data Sheet Shinnoki pens – <u>www.shinnoki.com</u>



SAFETY DATA SHEET IN ACCORDANCE WITH 91/155/EEC

TRADE NAME: SHINNOKI LACQUER PEN

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### **PRODUCT DETAILS:**

SHINNOKI LACQUER PEN: clear or pigmented, touch up pens ready for use

#### **SUPPLIER DETAILS:**

DECOSPAN N.V. Lageweg 33 - 8930 Menen - Belgium

Tel: +32 56 52 88 00 Fax: +32 56 52 88 03 info@decospan.com

# 2. COMPOSITION/INFORMATION ON INGREDIENTS

CAS-NO:	COMPONENT	<u>CONTENTS</u>
123-86-4	ACETIC ACID-N-BUTYL-ESTER	50-75%
PIGMENTS IN SYNTHETIC RESIN		0-5 %

# 3. HAZARDOUS IDENTIFICATION

IN CASE OF PROPER USE - NON-DANGEROUS FOR HUMAN AND ENVIRONMENT

# 4. FIRST AID MEASURES

#### AFTER INHALATION:

REMOVE PERSON TO FRESH AIR

#### AFTER SKINCONTACT:

**CLEAN SKIN WITH WATER AND SOAP** 

#### **AFTER SWALLOWING:**

-----

#### AFTER EYE-CONTACT:

IRRIGATE EYES COPIOUSLY WITH CLEAN WATER CONSULT A DOCTOR.

# **Material Safety Data Sheet**





#### 5. MEASURES REGARDING FIGHT AGAINST FIRE

SUITABLE FIRE-EXTINGUISHER: FOAM, DRY POWDER, CARBON DIOXIDE, WATER JET,

VAPOURS FROM ORGANIC MATERIALS ARE FUNDAMENTAL TO BE CLASSIFIED AS BREATING TOXICS

#### 6. ACCIDENTAL RELEASE MEASURES

KEEP AWAY FROM SOURCES OF IGNITION. VENTILATE AREA. REMOVE PAINT WITH COTTON-CLOTH AND LET IT DRY.

#### 7. HANDLING AND STORAGE

STORE PENS COOL AND DRY. IN CASE OF LARGE QUANTITIES, VENTILATE AREA.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENTS WITH OCCUPATIONAL EXPOSURE LIMITS TO BE MONITORED:

TYPE/ORIGIN MAK
CAS NUMBER 123-86-4

NAME ACETIC ACID-N-BUTYL-ESTER

LIMIT VALUE 200 PPM.

HAND PROTECTION:

NO SPECIAL PROTECTION MEASURES NECESSARY

**RESPIRATORY PROTECTION:** 

NO SPECIAL PROTECTION MEASURES NECESSARY

**EYE PROTECTION:** 

NO SPECIAL PROTECTION MEASURES NECESSARY

BODY-PROTECTION:

NO SPECIAL PROTECTION MEASURES NECESSARY

# Material Safety Data Sheet



Shinnoki pens – www.shinnoki.com

# 9. PHYSICAL AND CHEMICAL PROPERTIES

LACQUER PENS, TRANSPARANT OR IN DIFFERENT COLOURS.
LACQUER-SUPPLY BY MEANS OF FILTER AND VALVE, PACKED IN BURSTFREE METAL CARTRIDGES.

SMELL: PRODUCT-TYPICAL BUTYL-ACETATE.

VOC-CONTENTS: 80%

#### 10. STABILITY AND REACTIVITY

#### **HAZARDOUS REACTIONS:**

KEEP AWAY FROM STRONG OXIDIZING AGENTS.

#### **HAZARDOUS DECOMPOSITION PRODUCTS:**

CARBON MONOXIDE, CARBON DIOXIDE.

#### 11. TOXICOLOGICAL INFORMATION

IN CASE OF PROPER USE: NON-DANGEROUS.

#### 12. ECOLOGICAL INFORMATION

IN CASE OF PROPER USE:
NON-DANGEROUS FOR ENVIRONMENT

# 13. WASTE DISPOSAL

EMPTY CARTRIDGES CAN BE DISPOSED AS STANDARD WASTAGE

### 14. TRANSPORT INFORMATION

**NON-DANGEROUS GOODS** 

## 15. REGULATORY INFORMATION

NO SPECIAL WARNINGS.

# Material Safety Data Sheet Shinnoki pens – <u>www.shinnoki.com</u>

16. OTHER INFORMATION:



BAO PENS ARE CLASSIFIED AS WRITING- AND DRAWING-MATERIALS.

THESE INFORMATIONS ARE BASED ON THE PRESENT STATE OF OUR KNOWLE

THEY ARE MEANT AS A DESCRIPTION OF THE SAFETY REQUIREMENTS OF OUR PRODUCT AND ARE NOT TO BE CONSIDERED AS A GUARANTEE OF THE PRODUCT'S PROPERTIES.

Please note that the information in this brochure may be outdated and a new version may already have been issued. That is why we recommend you to always consult our website to download the most recent version.

Updated 03/05/2018

END OF MSDS DOCUMENT